



WAVE DENTAL



WAVE DENTAL

sales@wave-dental.com

www.wave-dental.com



**THE NEW
STANDARD AT
AN ORDINARY
PRICE**



CONTENTS

BurPlus Operative - FG	4
BurPlus Operative - RA	9
BurPlus Operative - HP	12
BurPlus Metal Cutting	14
BurPlus Surgical	15
BurPlus Trimming & Finishing	16

No longer do dentists have to choose between performance or price, between price or availability.

Wave Dental has engineered the BurPlus range to meet the most common needs of the price conscious dentist.

Its mission; to ensure that dentists have access to the best ordinary burs, whenever they need them.

We want to be part of a dental health revolution that will see more people than ever before receive care from professionals equipped with the best possible products.

Wave Dental is redefining the standard of ordinary burs.

What does 'Redefining the standard' mean to us?

It means focussing on a neglected segment of the marketplace

It means understanding the balance between quality and cost

It means engineering a bur that meets the need of a price conscious dentist

It means challenging accepted norms in this segment

It means developing the new machines, we make our burs on ourselves

It means manufacturing the essential tools that dentists need every day


It means making them consistently

Redefining the standard to us means access for more dentists to a better bur at their price point.




Bur+Plus

OPERATIVE



FG



FG 球形 ROUND HEAD (SPHERICAL)




US NO.	ISO NO.	1/4	1/2	1	2	3	4	5	6	7	8	9	10
FG	500314001001	005	006	008	010	012	014	016	018	021	023	025	027
FGSS	500313001001	005	006	008	010	012	014	016	—	—	—	—	—
FG SURG	500316001001	005	006	008	010	012	014	016	018	021	023	025	027



FG 倒截锥形 INVERTED CONE HEAD (INVERTED TRUNCATED CONICAL)



US NO.	ISO NO.	33 1/2	34	35	36	37	38	39	40	41
FG	500314010001	006	008	010	012	014	016	018	021	023
FGSS	500313010001	006	008	010	012	014	—	—	—	—
FG SURG	500316010001	—	008	010	012	014	016	018	021	023



FG 梨形 PEAR HEAD (HEMISPHERICAL INVERTED CONICAL)




US NO.	ISO NO.	329	330	331	332	333
FG	500314237001	006	008	010	012	014
FGSS	500313237001	006	008	010	012	—
FG SURG	500316237001	006	008	010	012	014



FG 梨形加长型 PEAR HEAD (HEMISPHERICAL INVERTED CONICAL) LONG HEAD




US NO.	ISO NO.	330L	331L	332L	333L
FG	500315238001	008	010	012	014



FG 轮形车针 WHEEL HEAD (WHEEL)




US NO.	ISO NO.	14
FG	500314042006	012



FG 圆柱裂沟形 STRAIGHT FISSURE HEAD (CYLINDRICAL)




US NO.	ISO NO.	55	56	57	58	59	60
FG	500314107006	008	009	010	012	014	016
FGSS	500313107006	—	009	010	012	—	—
FG SURG	500316107006	008	009	010	012	014	016



**FG 圆柱裂沟形加长型
STRAIGHT FISSURE HEAD
(CYLINDRICAL) LONG HEAD**



US NO.	ISO NO.	56L	57L	58L	59L	60L
FG	500315109006	009	010	012	014	016
FG SURG	500316109006	009	010	012	014	016



**FG 圆柱裂沟形 (带横切)
STRAIGHT FISSURE HEAD
(CYLINDRICAL)**



US NO.	ISO NO.	555	556	557	558	559	560	561
FG	500314107007	008	009	010	012	014	016	018
FGSS	500313107007	—	009	010	012	—	—	—
FG SURG	500316107007	008	009	010	012	014	016	—



**FG 圆柱裂沟形加长型 (带横切)
STRAIGHT FISSURE HEAD
(CYLINDRICAL) LONG HEAD**



US NO.	ISO NO.	556L	557L	558L	559L	560L
FG	500315109007	009	010	012	014	016
FG SURG	500316109007	009	010	012	014	016



**FG 圆柱半球裂沟形 STRAIGHT FISSURE
HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**




US NO.	ISO NO.	1155	1156	1157	1158	1159	1160
FG	500314137006	008	009	010	012	014	016
FGSS	500313137006	008	009	010	012	—	—
FG SURG	500316137006	008	009	010	012	014	016



**FG 圆柱半球裂沟形 STRAIGHT FISSURE
HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**



US NO.	ISO NO.	244	245	246	256
FG	500314233006	007	009	012	008
FGSS	500313233006	—	—	—	009




**FG 圆柱半球裂沟形 (带横切) STRAIGHT
FISSURE HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**




US NO.	ISO NO.	1555	1556	1557	1558	1559	1560
FG	500314137007	008	009	010	012	014	016
FGSS	500313137007	—	009	010	012	014	016
FG SURG	500316137007	008	009	010	012	014	016



**FG 圆柱半球裂沟形加长型 (带横切) STRAIGHT
FISSURE HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**




US NO.	ISO NO.	1557L	1558L	1559L	1560L
FG	500315139007	010	012	014	016
FG SURG	500316139007	010	012	014	016



**FG 截锥裂沟形
TAPERED FISSURE HEAD
(TRUNCATED CONICAL)**



US NO.	ISO NO.	168	169	170	171	172
FG	500314168006	008	009	010	012	016
FGSS	500313168006	—	—	010	012	—
FG SURG	500316168006	008	009	010	012	016



**FG 截锥裂沟形加长型 TAPERED
FISSURE HEAD (TRUNCATED
CONICAL) LONG HEAD**




US NO.	ISO NO.	169L	170L	171L	172L
FG	500315170006	009	010	012	016
FG SURG	500316170006	009	010	012	016



**FG 截锥裂沟形 (带横切)
TAPERED FISSURE HEAD
(TRUNCATED CONICAL)**




US NO.	ISO NO.	698	699	700	701	702	703
FG	500314168007	008	009	010	012	016	021
FGSS	500313168007	008	009	010	012	016	—
FG SURG	500316168007	008	009	010	012	016	021



**FG 截锥裂沟形加长型 (带横切)
TAPERED FISSURE HEAD
(TRUNCATED CONICAL) LONG HEAD**

US NO.	ISO NO.	699L	700L	701L	702L
FG	500315170007	009	010	012	016
FG SURG	500316170007	009	010	012	016




**FG 圆锥半球裂沟形 (带横切) TAPERED
FISSURE HEAD WITH ROUNDED END
(TRUNCATED CONICAL, DOMED)**

US NO.	ISO NO.	1701	1702
FG	500314194007	012	016
FG SURG	500316194007	012	016



**FG 圆锥半球裂沟形 TAPERED
FISSURE HEAD WITH ROUNDED END
(TRUNCATED CONICAL, DOMED)**


US NO.	ISO NO.	1168	1169	1170	1171	1172
FG	500314194006	008	009	010	012	016
FG SURG	500316194006	008	009	010	012	016



**FG 圆锥半球裂沟形加长型 TAPERED FISSURE
HEAD WITH ROUNDED END (TRUNCATED
CONICAL, DOMED) LONG HEAD**

US NO.	ISO NO.	1169L	1170L	1171L	1172L
FG	500315196006	009	010	012	016

RA




**RA 球形 ROUND HEAD
(SPHERICAL)**

US NO.	ISO NO.	1/4	1/2	1	2	3	4	5	6	7	8	9	10
RA	500204001001	005	006	008	010	012	014	016	018	021	023	025	027
RA SURG	500205001001	—	—	008	010	012	014	016	018	021	023	025	027
RA SURG L	500206001001	—	—	—	010	012	014	016	018	021	023	025	027



**RA 倒截锥形 INVERTED CONE
HEAD (INVERTED, TRUNCATED
CONICAL)**

US NO.	ISO NO.	33 1/2	34	35	36	37	38	39	40	41
RA	500204010001	006	008	010	012	014	016	018	021	023
RA SURG	500205010001	—	008	010	012	014	016	018	021	023




**RA 梨形 PEAR HEAD
(HEMISPHERICAL,
INVERTED CONICAL)**

US NO.	ISO NO.	329	330	331	332	333
RA	500204237001	—	008	010	012	—




**RA 梨形加长型 PEAR HEAD
(HEMISPHERICAL, INVERTED CONICAL
HEAD, LENGTH LONG) LONG HEAD**

US NO.	ISO NO.	330L	331L	332L	333L
RA	500204238006	—	010	012	014



**RA 圆柱裂沟形
STRAIGHT FISSURE HEAD
(CYLINDRICAL)**

US NO.	ISO NO.	55	56	57	58	59	60	61	62	63
RA	500204107006	008	009	010	012	014	016	018	021	023



**RA 圆柱裂沟形加长型
STRAIGHT FISSURE HEAD
(CYLINDRICAL) LONG HEAD**

US NO.	ISO NO.	56L	57L	58L	59L	60L
RA	500204109006	009	010	012	014	016



RA 圆柱裂沟形 (带横切) STRAIGHT FISSURE HEAD (CYLINDRICAL)



US NO.	ISO NO.	555	556	557	558	559	560	561	562	563
RA	500204107006	008	009	010	012	014	016	018	021	023



RA 圆柱裂沟形加长型 (带横切) STRAIGHT FISSURE HEAD (CYLINDRICAL) LONG HEAD



US NO.	ISO NO.	556L	557L	558L	559L	560L
RA	500204109007	009	010	012	014	016



RA 圆柱半球裂沟形 (带横切) STRAIGHT FISSURE HEAD WITH ROUNDED END (HEMISPHERICAL, CYLINDRICAL)




US NO.	ISO NO.	1555	1556	1557	1558	1559	1560	1561	1562	1563
RA	500204137007	008	009	010	012	014	016	018	021	023
RA SURG	500205137007	008	009	010	012	014	016	-	-	-



RA 圆柱半球裂沟形加长型 (带横切) STRAIGHT FISSURE HEAD WITH ROUNDED END (HEMISPHERICAL, CYLINDRICAL)



US NO.	ISO NO.	1557L	1558L	1559L	1560L
RA	500204139007	010	012	014	016



RA 截锥裂沟形 TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	168	169	170	171	172	173	174
RA	500204168006	008	009	010	012	016	021	023



RA 截锥裂沟形加长型 TAPERED FISSURE HEAD (TRUNCATED CONICAL) LONG HEAD




US NO.	ISO NO.	169L	170L	171L	172L
RA	500204170006	009	010	012	016




RA 截锥裂沟形加长型 TAPERED FISSURE HEAD (TRUNCATED CONICAL) LONG HEAD



US NO.	ISO NO.	698	699	700	701	702	703	704
RA	500204168007	008	009	010	012	016	021	023
RA SURG	500205168007	-	-	-	012	-	-	-



RA 截锥裂沟形加长型 (带横切) TAPERED FISSURE HEAD (TRUNCATED CONICAL) LONG HEAD



US NO.	ISO NO.	699L	700L	701L	702L	703L	704L
RA	500204170007	-	010	012	-	-	-



RA 圆锥半球裂沟形 TAPERED FISSURE HEAD WITH ROUNDED END (TRUNCATED CONICAL, DOMED)



US NO.	ISO NO.	1168	1169	1170	1171	1172
RA	500204194006	008	009	010	012	016




RA 球形扩孔针 ROUND HEAD (SPHERICAL)



US NO.	ISO NO.	1	2	3	4
RA SURG LN	500206896001	008	010	012	014



**HP 球形
ROUND HEAD (SPHERICAL)**




US NO.	ISO NO.	1/4	1/2	1	2	3	4	5	6	7	8	9	10
HP	500104001001	005	006	008	010	012	014	016	018	021	023	025	027



**HP 倒截锥形 INVERTED CONE
HEAD (INVERTED. TRUNCATED
CONICAL)**




US NO.	ISO NO.	33 ^{1/2}	34	35	36	37	38	39	40	41
HP	500104010001	—	008	010	012	014	016	018	021	023



**HP 圆柱裂沟形 (带横切) STRAIGHT
FISSURE HEAD (CYLINDRICAL)**



US NO.	ISO NO.	55	56	57	58	59	60	61	62	63
HP	500104107006	008	009	010	012	014	016	018	021	023



**HP 圆柱裂沟形 (带横切) STRAIGHT
FISSURE HEAD (CYLINDRICAL)**



US NO.	ISO NO.	555	556	557	558	559	560	561	562	563
HP	500104107007	008	009	010	012	014	016	018	021	023



**HP 圆柱半球裂沟形 (带横切) STRAIGHT
FISSURE HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**



US NO.	ISO NO.	1555	1556	1557	1558	1559	1560	1561	1562	1563
HP	500104137007	008	009	010	012	014	016	018	021	023



**HP 圆柱半球裂沟形加长型 (带横切) STRAIGHT
FISSURE HEAD WITH ROUNDED END
(HEMISPHERICAL. CYLINDRICAL)**



US NO.	ISO NO.	1557L	1558L	1559L	1560L
HP	500104139007	010	012	014	016



**HP 截锥裂沟形 TAPERED FISSURE
HEAD (TRUNCATED CONICAL)**



US NO.	ISO NO.	168	169	170	171	172	173	174
HP	500104168006	008	009	010	012	016	021	023



**HP 截锥裂沟形 (带横切) TAPERED
FISSURE HEAD (TRUNCATED
CONICAL)**



US NO.	ISO NO.	698	699	700	701	702	703	704
HP	500104168007	008	009	010	012	016	021	023



**HP 截锥裂沟形加长型 (带横切) TAPERED
FISSURE HEAD (TRUNCATED
CONICAL) LONG HEAD**



US NO.	ISO NO.	699L	700L	701L	702L	703L	704L
HP	500104171007	009	010	012	016	021	023



Bur+Plus

METAL CUTTING

破冠车针 METAL CUTTING



US NO.	ISO NO.	1957	1958
FG	500314137008	010	012

破冠车针 METAL CUTTING



US NO.	ISO NO.	1930	1931
FG	500314237008	008	010

破冠车针 METAL CUTTING



US NO.	ISO NO.	1945
FG	500314233008	008

破冠车针 METAL CUTTING



US NO.	ISO NO.	2057
FG	500314137008	010

Bur+Plus

SURGICAL

拔牙系列 EXTRACTION SERIES



US NO.	FG SURG 702LL	FG SL 702LL	FG SLL 702LL	FG151	FG SURG151	FG SL151
FG	016	016	016	016	016	016
HEAD LENGTH	9mm	9mm	9mm	11mm	11mm	11mm
LENGTH	25mm	28mm	32mm	23mm	25mm	28mm

拔牙系列 EXTRACTION SERIES



US NO.	FG4
FG	016
LENGTH	30mm

扩孔针 TROUING BUR



US NO.	1	2	4
DT	008	010	014
LENGTH	34mm	34mm	34mm

切骨车针 BONE CUTTING



US NO.	FG161	FG162
FG	016	016
HEAD LENGTH	10mm	10mm
LENGTH	25mm	25mm

安全车针 SAFE END

US NO.	FG152	FG SURG152
FG	016	016
HEAD LENGTH	9mm	9mm
LENGTH	21mm	25mm

种植车针 IMPLANT BUR



US NO.	L1	L2	L3	L4	L5	L6	L7	L8
RA SURG	008	010	012	014	016	018	021	023
LENGTH	34mm	34mm	34mm	34mm	34mm	34mm	34mm	34mm

Bur+Plus

TRIMMING & FINISHING

TF 球形精修车针 (12刃) ROUND HEAD (SPHERICAL)



US NO.	ISO NO.	7004	7005	7006	7008
TF	500314001071	014	016	018	023

TF 芽形精修车针 (12刃) BUD



US NO.	ISO NO.	7104	7106	7108
TF	500314254071	012	014	016

TF 截锥裂沟形精修车针 (12刃) TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	7204	7205	7206
TF	500315184072	014	016	018

TF 截锥裂沟形精修车针 (12刃) TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	7611	7612	7613
TF	500314181072	010	—	—
TF	500315182072	—	014	—
TF	500315183072	—	—	014

TF 火焰形精修车针 (12刃) FLAME



US NO.	ISO NO.	7901	7902	7903
TF	500314247071	009	010	012

TF 截锥裂沟形精修车针 (12刃) TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	7114	7214	7714
TF	500314216072	009	—	—
TF	500315217072	—	010	—
TF	500315219072	—	—	014

TF 蛋形精修车针 (12刃) EGG



US NO.	ISO NO.	7404	7406	7408
TF	500314277072	014	018	023

TF 圆柱裂沟形精修车针 (12刃) STRAIGHT FISSURE HEAD (CYLINDRICAL)



US NO.	ISO NO.	7572
TF	500315128072	010

TF 球形精修车针 (30刃) ROUND HEAD (SPHERICAL)



US NO.	ISO NO.	9006	9008
TF	500314001031	018	023

Bur+Plus

TRIMMING & FINISHING

TF 蛋形精修车针 (30刃) EGG



US NO.	ISO NO.	9406
TF	500314277031	018

TF 截锥裂沟形精修车针 (30刃) TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	9642
TF	500315218032	010

TF 截锥裂沟形精修车针 (18刃) TAPERED FISSURE HEAD (TRUNCATED CONICAL)



US NO.	ISO NO.	9714
TF	500315219042	014

TF 火焰形精修车针 (30刃) FLAME



US NO.	ISO NO.	9903	9904
TF	500315248031	012	014